(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

and soil name	Pct.   of  map  unit	 		Picnic areas		Playgrounds	
	     			   Rating class and   limiting features 			
5B: Colo	     60   	· ±		    Very limited   Depth to   saturated zone		    Very limited   Depth to   saturated zone   Slope	1 1.00
Ackmore	   30     	Flooding     Depth to	  1.00    0.39	saturated zone	  0.19 	   Depth to	  0.60    0.39
8B: Judson	       90 	saturated zone      Not limited 	         	      Not limited 	         	saturated zone      Somewhat limited   Slope	        0.50
8C: Judson	    100	    Not limited 		    Not limited 		    Very limited   Slope	11.00
24D: Shelby	   90     	Slope   Restricted	0.63  0.15	  Somewhat limited   Slope   Restricted   permeability	0.63  0.15	  Very limited   Slope   Restricted   permeability	    1.00  0.15
24D2: Shelby	   90     	Slope	0.63  0.15	  Somewhat limited   Slope   Restricted   permeability	0.63	  Very limited   Slope   Restricted   permeability	    1.00  0.15
24E: Shelby	   90     	Slope	11.00	  Very limited   Slope   Restricted   permeability	11.00	  Very limited   Slope   Restricted   permeability	1 1.00 10.15
24E2: Shelby	   90     	Slope	    1.00  0.15	=	1.00	=	    1.00  0.15
51: Vesser	     95   	    Very limited   Flooding 	      1.00	    Somewhat limited   Depth to   saturated zone	0.19	    Somewhat limited   Flooding 	1   0.60

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

	Pct.   of  map  unit	 		Picnic areas     		Playgrounds    -	
	     	=		Rating class and   limiting features 		   Rating class and   limiting features 	
		Depth to   saturated zone	10.39	 		   Depth to   saturated zone	10.39
51+: Vesser	     95 	Flooding	11.00	    Somewhat limited   Depth to   saturated zone		    Somewhat limited   Flooding 	10.60
	     		0.39		     	Depth to   saturated zone	0.39
51B: Vesser	90		0.39	  Somewhat limited   Depth to   saturated zone	0.19	  Somewhat limited   Slope 	10.50
	     	 	   	 	     	Depth to saturated zone	0.39
51B+: Vesser	   90 	<del>=</del>	11.00	    Somewhat limited   Depth to   saturated zone	0.19	  Somewhat limited   Flooding	0.60
	     	Depth to   saturated zone 	0.39	•	     	   Slope     Depth to	0.50
69C:		  -  -		 	 	saturated zone   	 
Clearfield	90   		0.39	Somewhat limited   Depth to   saturated zone	0.19	Very limited   Slope 	11.00
		Restricted   permeability   	0.15     	Restricted   permeability   	0.15     	Depth to   saturated zone   Restricted   permeability	0.39    0.15
69C2: Clearfield	     90 	Depth to		Depth to		    Very limited   Slope	1 1.00
	     	saturated zone   Restricted   permeability 	  0.15   	saturated zone   Restricted   permeability 	  0.15 	   Depth to   saturated zone   Restricted	  0.39    0.15
76C:	   	 		 	 	permeability   	 
	100 	Somewhat limited   Restricted   permeability	0.15	Somewhat limited   Restricted   permeability	0.15	Very limited   Slope	11.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct.   of  map  unit	 		Picnic areas		Playgrounds     	
	     	=		   Rating class and   limiting features 		=	
		 		 		Restricted   permeability	0.15
76C2: Ladoga	90		0.15	  Somewhat limited   Restricted   permeability 		  Very limited   Slope     Restricted   permeability	  1.00    0.15
76D: Ladoga	     95     	Slope   Restricted	0.63	Slope	0.63  0.15	  Very limited   Slope   Restricted   permeability	    1.00  0.15
76D2: Ladoga	 	Slope	0.63  0.15	  Somewhat limited   Slope   Restricted   permeability	0.63  0.15	  Very limited   Slope   Restricted   permeability	    1.00  0.15
88: Nevin	     95	    Not limited		    Not limited		    Not limited	
93D: Shelby	 	Slope	0.63	  Somewhat limited   Slope   Restricted   permeability	0.63  0.15	  Very limited   Slope   Restricted   permeability	    1.00  0.15
Adair	   30     	Restricted permeability	0.94	  Somewhat limited   Restricted   permeability   Slope	0.94    0.63	  Very limited   Slope     Restricted	  1.00    0.94
	       	   Depth to   saturated zone   		   Depth to   saturated zone   	0.19	permeability   Depth to   saturated zone   Gravel content	  0.39    0.06
93D2: Shelby	  -  60 	  Somewhat limited   Slope   Restricted   permeability	  0.63  0.15		0.63	•	  1.00  0.15
Adair	   30	  Somewhat limited		  Somewhat limited		  Very limited	

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct.   of  map  unit	] 		Picnic areas		Playgrounds   	
	     			   Rating class and   limiting features 			
	     	Restricted   permeability		Restricted	  0.94	   Slope 	  1.00
	1	Slope	0.63 	Slope		Restricted   permeability	0.94 
		   Depth to   saturated zone	0.39	Depth to	0.19		0.39
	 	 		 		Gravel content 	0.06 
133: Colo	 - 100 		1.00	· ±	11.00	  Very limited   Depth to   saturated zone	1 1.00
	 	Flooding	1.00	 	1	Flooding	0.60
133+: Colo			1.00	Depth to	11.00	    Very limited   Depth to   saturated zone	11.00
		Flooding 	1.00 	 		Flooding 	0.60 
133B: Colo	  -  95     	  Very limited   Depth to   saturated zone 	1.00	Depth to	11.00	  Very limited   Depth to   saturated zone   Slope	1 1.00 1 10.50
133B+:							
Colo		Depth to saturated zone	1.00	Very limited   Depth to   saturated zone 	11.00	Very limited   Depth to   saturated zone   Flooding   Slope	1.00    0.60  0.50
172: Wabash	  -   95   	Depth to   saturated zone	11.00	  Very limited   Depth to   saturated zone   Restricted	1.00	  Very limited   Depth to   saturated zone   Restricted	    1.00    1.00
		Flooding     Restricted	İ	permeability		Restricted   permeability   Too clayey	11.00
		permeability   Too clayey	  1.00		 	   Flooding	  0.60
179D: Gara		    Somewhat limited   Slope				    Very limited   Slope	      1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct.   of  map  unit	 		Picnic areas     		Playgrounds     	
	 	=		Rating class and   limiting features 		=	
				Restricted		Restricted   permeability	0.15
179D2:	l I	 	1	 		 	I
	İ	Restricted	0.63	Slope	0.63  0.15	   Slope   Restricted   permeability	  1.00  0.15
179E: Gara		Slope   Restricted	1.00  0.15	  Very limited   Slope   Restricted   permeability	1.00  0.15	  Very limited   Slope   Restricted   permeability	1.00
179E2: Gara	    90   	Slope   Restricted	1.00  0.15	  Very limited   Slope   Restricted   permeability	1.00  0.15	  Very limited   Slope   Restricted   permeability	    1.00  0.15
179F:	l I	 	1	 		 	
Gara	100     	Slope   Restricted	1.00  0.15	Very limited   Slope   Restricted   permeability	1.00  0.15	Very limited   Slope   Restricted   permeability	11.00
179F2: Gara	  - 100     	Slope   Restricted	1.00  0.15	  Very limited   Slope   Restricted   permeability 	1.00  0.15	  Very limited   Slope   Restricted   permeability	  1.00  0.15 
192C: Adair	1	Restricted permeability	0.94	• •	0.94 	  Very limited   Slope   Restricted   permeability   Depth to   saturated zone   Gravel content	  1.00    0.94    0.39 
192C2: Adair	   100 	  Somewhat limited   Restricted   permeability	0.94	  Somewhat limited   Restricted   permeability	0.94	  Very limited   Slope	1 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

and soil name	Pct. of map unit	 		Picnic areas		Playgrounds	
	     			Rating class and   limiting features			
	             	   Depth to   saturated zone     		   Depth to   saturated zone     		Restricted permeability Depth to saturated zone Gravel content	  0.94    0.39    0.06
192D: Adair	  100 	Restricted	0.94			  Very limited   Slope 	11.00
	 	=		Slope	0.63	Restricted permeability	0.94
	 	Depth to   saturated zone 		Depth to   saturated zone 		Depth to   saturated zone   Gravel content	0.39    0.06
192D2: Adair	    100     	Restricted permeability	0.94	    Somewhat limited   Restricted   permeability   Slope	0.94    0.63	  Very limited   Slope     Restricted	1 1.00
	       	   Depth to   saturated zone 		   Depth to   saturated zone 	0.19	permeability   Depth to   saturated zone   Gravel content	10.39
212: Kennebec			1 1.00	    Not limited 		    Somewhat limited   Flooding	0.60
220: Nodaway		<del>-</del>	1 1.00	    Not limited 		  Somewhat limited   Flooding	0.60
222C: Clarinda	 	Restricted   permeability	1.00    0.39	Restricted   permeability	1.00 	  Very limited   Restricted   permeability   Slope     Depth to   saturated zone	11.00
222C2: Clarinda	     90   	<del>-</del>	1.00	    Very limited   Restricted   permeability	11.00	    Very limited   Restricted   permeability	11.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct.   of  map  unit	] 		Picnic areas		Playgrounds     	
	     			   Rating class and   limiting features 			
		Depth to   saturated zone		Depth to   saturated zone	0.19	Slope	11.00
2022	   	 	 	 	 	Depth to   saturated zone 	0.39   
222D2: Clarinda	   95   	Restricted   permeability	1.00 	  Very limited   Restricted   permeability   Slope	1.00 	  Very limited   Slope     Restricted	  1.00    1.00
	 	İ	0.39	Depth to   saturated zone	0.19	permeability   Depth to   saturated zone	10.39
248: Wabash	  100       	· =	1.00 	  Very limited   Depth to   saturated zone   Restricted   permeability	1.00 	  Very limited   Depth to   saturated zone   Restricted   permeability   Flooding	1.00
248+: Wabash	     90       	  Very limited   Depth to   saturated zone   Flooding	1.00 	Restricted permeability	1.00 	 	11.00
269: Humeston	90	  Very limited   Depth to   saturated zone   Flooding	1.00    1.00	 	1.00    1.00	 	11.00
269+: Humeston	     90     	    Very limited   Depth to   saturated zone   Flooding 	    1.00    1.00	saturated zone	    1.00    1.00	saturated zone	    1.00    1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct.   of  map  unit	] 		Picnic areas		Playgrounds	
				   Rating class and   limiting features 		•	
		Restricted   permeability	11.00			   Flooding	10.60
273B: Olmitz	  -  90	    Not limited 		    Not limited 		    Somewhat limited   Slope	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
273C: Olmitz	  -   95	    Not limited 		    Not limited 		    Very limited   Slope	11.00
286B: Colo	  -  45   	· =	1 1.00	  Very limited   Depth to   saturated zone 		  Very limited   Depth to   saturated zone   Slope	    1.00    0.13
Judson	-  30 	  Not limited 	 	  Not limited 	 	  Somewhat limited   Slope	    0.50
Nodaway	 -  25   	· =	11.00	  Not limited   		  Somewhat limited   Flooding   Slope	  0.60  0.01
368: Macksburg	  -  95   	Restricted	0.15	  Somewhat limited   Restricted   permeability		  Somewhat limited   Restricted   permeability	0.15
368B: Macksburg	  -  95       		0.15	  Somewhat limited   Restricted   permeability 	0.15	  Somewhat limited   Slope     Restricted   permeability	    0.50    0.15
369: Winterset		Depth to	1.00 		1.00 		    1.00    0.15
370B: Sharpsburg	 - 100 	    Somewhat limited   Restricted   permeability	0.15	    Somewhat limited   Restricted   permeability	0.15	    Somewhat limited   Slope 	10.50

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct.   of  map  unit	 		Picnic areas		Playgrounds   	
	     	   Rating class and   limiting features 		Rating class and   limiting features 		Rating class and   limiting features 	Value
		 		 		Restricted	  0.15
370C: Sharpsburg	  -   95     	  Somewhat limited   Restricted   permeability 	0.15	  Somewhat limited   Restricted   permeability 	0.15	  Very limited   Slope     Restricted   permeability	  1.00    0.15
370C2: Sharpsburg	  -  100     	  Somewhat limited   Restricted   permeability 	0.15	  Somewhat limited   Restricted   permeability 	    0.15   	  Very limited   Slope     Restricted   permeability	  1.00    0.15
370D: Sharpsburg	     95     	  Somewhat limited   Slope   Restricted   permeability	    0.63  0.15	-	    0.63  0.15	•	    1.00  0.15
370D2: Sharpsburg	  -  100     	  Somewhat limited   Slope   Restricted   permeability	0.63	-	    0.63  0.15	•	    1.00  0.15
123C2: Bucknell	  -   95         	  Somewhat limited   Restricted   permeability   Depth to   saturated zone		  Somewhat limited   Restricted   permeability   Depth to   saturated zone	0.94	İ	1.00
423D2: Bucknell	  -  95       	  Somewhat limited   Restricted   permeability   Slope	0.94	permeability	0.94	1	1.00
		Depth to   saturated zone	0.39	Depth to   saturated zone	0.19		0.39

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct.   of  map  unit	] 		Picnic areas   		Playgrounds   	
	     			Rating class and   limiting features			
428B: Ely	    -  85 	    Not limited   	       	    Not limited 		    Somewhat limited   Slope	      0.50
430: Ackmore	  -  90   	Flooding 		  Somewhat limited   Depth to   saturated zone 		  Somewhat limited   Flooding     Depth to	    0.60    0.39
452C: Lineville	    -  90         	Restricted   permeability	0.94	    Somewhat limited   Restricted   permeability   Depth to   saturated zone	0.94 	saturated zone	      1.00    0.94    0.39
452C2: Lineville	  -  90         	Restricted permeability	0.94 	  Somewhat limited   Restricted   permeability   Depth to   saturated zone	0.94    0.19	  Very limited   Slope     Restricted   permeability   Depth to   saturated zone	  1.00    0.94    0.39
470D: Lamoni	  -  70       	Restricted permeability Slope	0.94	  Somewhat limited   Restricted   permeability   Slope     Depth to	0.94    0.63	  Very limited   Slope   Restricted   permeability   Depth to	    1.00    0.94    0.39
Shelby	  -  30   		      0.63  0.15		    0.63  0.15		    1.00  0.15
470D2: Lamoni	  -   65 	    Somewhat limited   Restricted   permeability	0.94	    Somewhat limited   Restricted   permeability	    0.94	    Very limited   Slope 	1 1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct.   of  map  unit	] 		Picnic areas   		Playgrounds   	
	     			Rating class and   limiting features			
	   		0.63	Slope		   Restricted   permeability	10.94
	 			Depth to saturated zone	0.19		0.39
Shelby		Slope   Restricted	0.63  0.15	Slope	0.63  0.15	Very limited   Slope   Restricted   permeability	  1.00  0.15
570C: Nira	90	    Not limited 	 	    Not limited 		    Very limited   Slope	11.00
570C2: Nira	     90	    Not limited 	   	    Not limited 		    Very limited   Slope	1 1.00
570D: Nira	     90 					    Very limited   Slope	1 1.00
570D2: Nira						    Very limited   Slope 	11.00
592C: Mystic	   95 	Restricted	0.94			  Very limited   Slope 	11.00
	į Į		 			Restricted permeability	0.94
592C2: Mystic	95	Restricted	0.94			    Very limited   Slope 	11.00
	   	 		 	   	Restricted   permeability 	0.94   
592D: Mystic	90	  Somewhat limited   Restricted   permeability	    0.94	  Somewhat limited   Restricted   permeability	0.94	  Very limited   Slope 	11.00
		Slope	0.63		0.63	Restricted permeability	0.94

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct.   of  map  unit			Picnic areas		Playgrounds   	
				Rating class and   limiting features		   Rating class and   limiting features 	Value
592D2: Mystic	90	  Somewhat limited   Restricted   permeability   Slope	0.94	permeability	    0.94    0.63	İ	    1.00    0.94
792C: Armstrong	  - 100         	  Somewhat limited   Restricted   permeability   Depth to   saturated zone 	   1   0.94   1   0.39   1   1	permeability	    0.94    0.19 	İ	  1.00    0.94    0.39 
92C2: Armstrong	-   100	  Somewhat limited   Restricted   permeability   Depth to   saturated zone	  0.94    0.39 	permeability	  0.94    0.19 	İ	  1.00    0.94    0.39 
792D: Armstrong	  - 100         	  Somewhat limited   Restricted   permeability   Slope   Depth to   saturated zone	0.94	ĺ	        0.94        0.63        0.19	   Restricted   permeability	  1.00    0.94    0.39 
792D2: Armstrong	  - 100         		0.94	permeability   Slope 		permeability	1.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol and soil name	Pct.   of  map  unit	-    -		   Picnic areas   		   Playgrounds   	
	     			Rating class and   limiting features		=	
822C: Lamoni	     90       	Restricted	0.94    0.39	Restricted   permeability	0.94    0.19		1.00
822C2: Lamoni	   90   1     	Restricted permeability	0.94    0.39	  Somewhat limited   Restricted   permeability   Depth to   saturated zone	0.94 	  Very limited   Slope   Restricted   permeability   Depth to   saturated zone	    1.00    0.94    0.39
822D: Lamoni	90   1   1   1   1   1   1   1   1   1	Restricted   permeability   Slope 	0.94    0.63    0.39		0.94    0.63	  Very limited   Slope     Restricted   permeability   Depth to   saturated zone	  1.00    0.94    0.39
822D2: Lamoni	   90         	Restricted permeability Slope  Depth to	0.94    0.63    0.39		0.94    0.63		    1.00    0.94    0.39
870B: Sharpsburg		  Somewhat limited   Restricted   permeability 		  Somewhat limited   Restricted   permeability 		  Somewhat limited   Slope     Restricted   permeability	  0.50    0.15
870C2: Sharpsburg	95	  Somewhat limited   Restricted   permeability	0.15	  Somewhat limited   Restricted   permeability	0.15	    Very limited   Slope 	11.00

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

and soil name	Pct.   of  map  unit	i I		Picnic areas		   Playgrounds   	
	       			   Rating class and   limiting features 			
	   	 		 		   Restricted   permeability	  0.15 
993D:	 	 		 		 	
	60       	·	0.63	Somewhat limited   Slope   Restricted   permeability	0.63  0.15	Very limited   Slope   Restricted   permeability	  1.00  0.15
Armstrong	40   	Restricted	0.94	Somewhat limited   Restricted   permeability	0.94	  Very limited   Slope 	11.00
	İ	•		Slope	0.63		0.94
	   	   Depth to   saturated zone	  0.39 	   Depth to   saturated zone	  0.19 	permeability   Depth to   saturated zone	  0.39 
						Gravel content	0.04
993D2:							
Gara	55     	Slope   Restricted	0.63		  0.63  0.15	Restricted	  1.00  0.15
Armstrong	   40 	Restricted	0.94	  Somewhat limited   Restricted   permeability	1   0.94	  Very limited   Slope 	1 1.00
	į	•		Slope		Restricted	0.94
	   	   Depth to   saturated zone		   Depth to   saturated zone		permeability   Depth to   saturated zone	10.39
			İ		İ	Gravel content	0.04
1220: Nodaway	     90 	·	1   1   1   1   1   1   1   1   1   1	•		    Very limited   Flooding	    1.00
1368B:	 	 	1	 	1	 	
Macksburg	   90     	  Somewhat limited   Restricted   permeability 		  Somewhat limited   Restricted   permeability 	0.15	  Somewhat limited   Restricted   permeability   Slope	  0.15    0.01
5030: Pits	    100	    Not rated	 	    Not rated	 	    Not rated	 

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Taylor County, Iowa

Map symbol	  Pct.	Camp areas	Picnic	areas	   Playgrounds	
and soil name	of	I	1			
	map	I	1			
	unit					
	l I	   Rating class and  Va	luel Rating class	and [Value	Rating class and	Value
	i	limiting features	limiting fea		limiting features	I
	i					i
			[			
			1			
5040:						
Orthents	. – I 1 0 0		  Not rated	l	  Not rated	1
of ellelles	1 200			i		i
	i	i i	į	į i		i
		I I	1			
W:				[		1
Water	-1100	Not rated	Not rated		Not rated	
	l I	1 1	I I		 	1
	i		i	i		i
	i	İ	i	i i		İ
		II	I	I	l	_1